








HOLO







Build Your Vision.

On The Go.


,TOTEM FOLO $^{ op m}$



Front and Rear Service

Only 15cm required in the front of screen LED when we do rear maintenance







THE ULTIMATE TOURING & EVENT SOLUTION

ASSEMBLE YOUR AUDIENCE

Events and Tradeshows Setup



Rapid & Seamless Assembly




Limitless Configurations




Road-Ready & Robust



Brilliance, Indoors and Out





Designed for the Demands of Live Events

Events, exhibitions, and experiences demand technology that is as flexible as it is powerful.

The **HoloTotem™ Fold** was engineered for the road. Its innovative design allows for effortless transport, lightning-fast setup, and limitless configurations.

Stack it, link it, and shape it to create seamless video walls, sharp corner displays, and branded backdrops that command attention in any environment.


030 ______04



Performance That Packs Up

1750mm

2 Brightness Options: 600 NITS/3000 NITS



Easy Roll In/Out



Events, exhibitions, and experiences demand technology that is as flexible as it is powerful. The **HoloTotem™ Fold** was engineered for the road. Its innovative design allows for effortless transport, lightning-fast setup, and limitless configurations. Stack it, link it, and shape it to create seamless video walls, sharp corner displays, and branded backdrops that command attention in any environmentoomm







OUVE GOT BAGGAGE

Mitered Corner

HOLO

TOTEM™ FOLD

Touring Video Poster

- Module Heights: Available in 1750mm and
 2000mm options
- Module Width: 1000mm
- **Pixel Pitch Options:** 1.5mm, 1.9mm, 2.6mm, 3.9mm
- Brightness Options: Indoor (500-800 NITS) & Semi-Outdoor (3000-5000 NITS)
- **Serviceability:** Full Front and Rear Service Access



Easily enter the elevator, No dedicated freight elevator required



-06

HoloTotem™ Fold



Specifications

VISUALS

Pixel Pitch

Screen Resolution

LED Technology

Module Resolution

Module Dimension

Brightness Options

Screen Surface

MECHANICAL

Cabinet Dimensions (WxH)

Cabinet Weight (Net Weight)

Service Access

Portability

Cascade Stacking (up to)

ELECTRICAL & CONNECTIVITY

Data Input

CERTIFICATIONS

Compliance

PACKAGING

PackagingType Gross Weight (kg/lbs) Gross Dimensions (m/inch)

512 x 896 pixels 1.9mm 2.6mm 384 x 672 pixels

S

512 x 1024 pixels 2.6mm

1.9mm / 2.6mm

384 x 768 pixels

1.9mm 2.6mm

526 x 1154 pixels 385 x 864 pixels

Curved SoftFlex™ 3-in-1 SMD Module 1.9mm: 128 x 128 pixels

2.6mm: 96 x 96 pixels

250 x 250mm

600 nits (i)ndoor / 3000 nits (S)emi-outdoor NanoArmour™ Protective Coating

Small (1000mm x 1750mm)

Medium (1000mm x 2000mm) Large (1000mm x 2250mm)

80 kg (176.37 lbs)

Front and Rear Service Magnetic LED Modules Integrated silent wheels, ships in road-ready flight case

2.6 - 5 Units Stackable

1.9 - 3 Units Stackable

Wi-Fi, RJ45 (Ethernet), USB (4G Optional)

ETL, MET, CE, FCC, RoHS

Road Case / Wooden Crate



The HoloTotem™ Fold is the preferred choice for a multitude of applications, including:

Tradeshows & Exhibitions:

Create booths that stop traffic.

Corporate Events & Conferences:

Deliver presentations with maximum impact.

Churches & Houses of Worship:


Build dynamic, modular stage backdrops.

Shopping Malls & Airports:

Deploy high-impact advertising and information hubs.

Concerts & Live Performances:

Enhance the show with stunning tour-ready visuals.



QUESTIONS?



CONTACT US TODAY →

Office/Sales:

office@holodeckled.com 213-996-0655

Connect³:

connect@holodeckled.com 213-996-0746

ASK YOUR LOCAL REP/DISTRIBUTOR

Email;

Phone:









Copyright © 2025 HOLODECK LED™ - a subsidiary of QST LED



10